




Datasheet - wooden handrims



LIGHT (Ø ~ 20mm)



Name	Size	Size acc. to ISO	Installation dimension (C)	Fixings	article-number:	Remark
395er	20"	406	395mm	6 tabs	L39500 +Color code (see table below)	Cross section Ø ~ 18mm
435er	20"	451	435mm	6 tabs	L43500 +Color code (see table below)	
472er	22"	489	472mm	6 tabs	L47200 +Color code (see table below)	
S1	24"	507	499mm	6 tabs	L49900 +Color code (see table below)	
513er	24"	540	513mm	6 tabs	L51300 +Color code (see table below)	
513 auf 490			490mm	6 tabs	L513/490 +Color code (see table below)	fixing tabs bent to 490mm
S3	25"	559	534mm	6 tabs	L54300 +Color code (see table below)	
Alesa	26"	590	565mm	6 tabs	L56500 +Color code (see table below)	
602er	28"	622	602mm	12 tabs	L60200 +Color code (see table below)	with 12 Fixing 6 tabs



MEDIUM (Cross section ~ 20mm x 24mm)


Name	Size	Size acc. to ISO	Installation dimension (C)	Fixings (I)	article-number:	Remark
472er	22"	489	472mm	6 tabs	M47200 + Color code (see table below)	
513er	24"	540	513mm	6 tabs	M51300 +Color code (see table below)	
515er	24"	540	515mm	6 M5 thread	MX5150 +Color code (see table below)	Softwheel 24"
S3	25"	559	534mm	6 tabs	M53400 +Color code (see table below)	
539er	25"	559	539mm	6 M5 thread	MX5390 + Color code (see table below))	Softwheel 25"
513 auf 490			490mm	6 tabs	M513/490 +Color code (see table below)	fixing tabs bent to 490mm
Xentis-Kappa	Xentis-Kappa	559	Xentis-Kappa	6 M5 thread	MX5340 +Color code (see table below))	With M5 inserts

Datasheet - wooden handrims



BIG (Cross section ~ 20mm x 30mm)

Name	Size	Size acc. to ISO	Installation dimension (C)	Fixings (I)	article-number:	Remark
472er	22"	489	472mm	6 tabs	B47200 +Color code (see table below)	
515er	24"	540	515mm	6 M5 thread	BX5150 + Color code (see table below)	Softwheel 24"
S2	24"	540	516mm	6 tabs	B51600 +Color code (see table below)	
539er	25"	559	539mm	6 M5 thread	BX5390 + Color code (see table below)	Softwheel 25"
S3	25"	559	534mm	6 tabs	B53400 +Color code (see table below)	
Alesa	26"	590	565mm	6 tabs	B56500 +Color code (see table below)	



PRIME (Cross section ~ 25mm x 30mm)

Name	Size	Size acc. to ISO	Installation dimension (C)	Fixings (I)	article-number:	Remark
472er	22"	489	472mm	6 tabs	P47200 +Color code (see table below)	
515er	24"	540	515mm	6 M5 thread	PX5150 + Color code (see table below)	Softwheel 24"
S2	24"	540	516mm	6 tabs	P51600 +Color code (see table below)	
539er	25"	559	539mm	6 M5 thread	PX5390 + Color code (see table below)	Softwheel 25"
S3	25"	559	534mm	6 tabs	P53400 +Color code (see table below)	
Alesa	26"	590	565mm	6 tabs	P56500 +Color code (see table below)	



WoodRubb (Cross section ~ 25mm x 30mm)

Name	Size	Size acc. to ISO	Installation dimension (C)	Fixings (I)	article-number:	Remark
472er	22"	489	472mm	6 tabs	W47200 +Color code (see table below)	
515er	24"	540	515mm	6 M5 thread	WX5150 + Color code (see table below)	Softwheel 24"
513er	24"	540	513mm	6 tabs	W51300 +Color code (see table below)	
539er	25"	559	539mm	6 M5 thread	WX5390 + Color code (see table below)	Softwheel 25"
S3	25"	559	534mm	6 tabs	W53400 +Color code (see table below)	
Alesa	26"	590	565mm	6 tabs	W56500 +Color code (see table below)	

A Pair of Silicone lips for WoodRubb

Name	Size	Size acc. to ISO	article-number:	Remark
472er	22"	489	SL47200	
515er	24"	540	SL51500	Softwheel 25"
513er	24"	540	SL 51300	
539er	25"	559	SL53900	Softwheel 25"
S3	25"	559	SL53400	
Alesa	26"	590	SL56500	

Legend description:

Size:

Size of the rim in inches.

Size acc. to ISO:

Size indication of the rim according to ETRTO.


Installation dimension:

Inner diameter of the rim.

Article no. + color code:

The color code has to be added to the article number. (see Colours)

Datasheet - wooden handrims



General		
		LIGHT: $\varnothing \sim 20\text{mm}$ MEDIUM: $\sim 20 \times 24 \text{ mm}$ BIG : $\sim 20 \times 30 \text{ mm}$ PRIME : $\sim 25 \times 30 \text{ mm}$
A	Push rims \varnothing	
C	Installation dimension of the tab outside / outside	see table
D	Outside hand ring / center hole narrow	41mm
E	Outside hand ring / center hole wide	51mm
E1	Outside grip ring / center hole in the middle	46mm
F	Distance between holes	5 mm
G	Drilling \varnothing	5,2 mm
H	Tab width	15
I	Tab thickness	2,5
	Number of tabs	see table
Each aluminum fixing tabs have 3 holes ($\varnothing 5.2 \text{ mm}$) which allows the distance to the rim to be adjusted		

Colours




Natur



Dark



Intense Black



Veggie

Lagoon

Sunset

Poppy

Piglet

Dragonfruit

Name of the color	Color code abbreviation
Natur	N
Intense Black	B
Dark	D
Veggie	Ve
Lagoon	La
Sunset	Su
Poppy	Po
Piglet	Pi
Dragonfruit	Dr